

DHI-LPH65/75/86-MT440-C

65/75/86" UHD Smart Interactive Whiteboard



System Overview

With Android 8.0 embedded in its design, Dahua Smart Interactive Whiteboard has powerful processing capabilities with its 4-core CPU, 4-core GPU, and 4G 32G storage capacity. Equipped with a high-precision infrared frame with a 2 mm identification diameter and a 4K high-definition DLED module, this whiteboard will give you an extraordinary experience whether you are writing, controlling or displaying content. It features video conferencing, wireless screen sharing, file management, HD display, scan & go and more. Rely on this whiteboard to modernize your meeting room, and make your meetings more efficient.

Functions

4K Camera with Ultra-wide FOV

8-MP camera with a maximum resolution of 4K@30 fps. It supports live view, and has an ultra-wide field of view (diagonal 112.7°, horizontal 104°, and vertical 70.2°), capturing vivid details even in relatively large meeting rooms.

Hidden Antenna Design

The Wi-Fi and hotspot antenna has a front hidden design, which is not only beautiful and simple, but also ensures the stability of the signal strength when using a flush mount.

Wireless Screen Sharing

In addition to basic file share, wireless screensharing and reverse control, it also supports screen grouping (multiple transmission), real-time transmission of wireless camera picture and sound from the mobile phone, host mode (for overall authority control) and split-screen mode that displays up to 9 spilts on the same screen.

- 65/75/86-inch 4K DLED display with Zero Air Gap technology that delivers a clear image in sharp, vivid colors.
- Built-in 8-MP camera and microphone array that produces excellent quality visual and audio communication
- Wireless screen sharing from multiple devices with an intuitive, easy-touse system.
- Pressure and tilt sensi e stylus designed for a smooth, natural writing experience.
- Quick file sharing by scanning a QR code, with easy file encryption for added privacy and security.
- · Optional OPS module, dual-system switchable.
- Fingerprint lock for protection of user information
- Support DahuaLink Video conference software

Real Writing Experience

The smart interactive whiteboard supports tilt sensitivity writing. It comes equipped with specialized pressure-sensitive writing pens, designed to enhance the writing experience. With its soft, comfortable nib, writing on the whiteboard feels natural, similar to the real writing experience.

Strong System Security

Supports digital password, gesture password and fingerprint password for added protection. These unlock methods can all be applied to USB permissions, the lock screen, touch lock and factory restore settings. Up to 256 fingerprint passwords can be set, and the system supports fingerprint resolution 508 DPI. The false acceptance rate is less than 0.001%, and the false rejection rate is less than 0.1%.

Easy to Share

Enhances the experience of sharing files by scanning a code. It automatically determines the device network to readily share the QR code across the extranet and the intranet. QR code encryption and extraction are also featured, providing privacy and data security through the required entry of a 6-digit random password for verification.

DahuaLink Video Conference Software

The cloud computing teleconferencing system, compatibility and being able to connect to each other in the same network DahuaLink Video Conference Software able to share writing on whiteboard. And support camera resolution 1080P/30fps

Scene

The whiteboard is ideal for use in indoor sites such as in meeting rooms, command centers, hospitals and banks.


Technical Specification		Fingerprint	
Built-in System		Fingerprint Capacity	256
Operating System	Android 8.0	Fingerprint Resolution	508 DPI
CPU	Dual-core A53 + dual-core A73	FAR	<0.001%
RAM	4 GB	FRR	<0.1%
ROM	32 GB	Func on	
LCD Panel		Operating System of External Module	Windows 7/8/10;Android
Panel Dimensions	65-inch; 75-inch; 86-inch	WiFi	Dual-band 2.4G/5G
Brightness	65-inch: 350 cd/m2; 75-inch: 400 cd/m2; 86-inch: 400 cd/m2	Wi-Fi Hotspot	Dual-band 2.4G/5G; supports enabling Hotspot and Wi-Fi at the same time
Contrast	1200:1	Device Ports	
Resolution	3840 (H) × 2160 (V)	Light Sensor	
Aspect Ratio	16: 9	Front Button	1
Backlight	DLED	Front Ports	1 × power button 1 × HDMI IN; 1 × touch; 2 × USB3.0
Lifespan	30,000 hours	Network Port	2 × RJ-45 (10/100/1000), Support IPv4, IPv6
Viewing Angle	H: 178°; V: 178°	Wi-Fi	$1 \times \text{Wi-Fi}; 1 \times \text{Hotspot}, \text{Support WPA2,802.11 a/b/g/n/a}$
Touchscreen		USB	3 × USB3.0; 1 × USB2.0
Touch Technology Type	Infrared touch technology	RS-232	1 × RS-232
Touch Points	20		3 × HDMI IN; 1 × DP; 1 × MINI AV IN; 1 × MINI YPBPR; 1
Writing Mode	Finger + Pen	Video Input	VGA IN
Response Time	<10 ms	Video Output	1×HDMI OUT
Valid Touch	2 mm	Audio Input	1 × 3.5 mm; 1 × MIC IN
Communication Mode	USB	Audio Output	1 × 3.5 mm (EarPhone OUT); 1 × SPDIF
Camera		IrDA	1
Pixel	8 MP (live view)	Others	2 × Touch
Auto Control	Auto white balance	General	
Distortion	≤5%	Power Supply	100–240 VAC, 50/60 Hz
Max. Resolution	4K@30 fps	Power Consumption	65-inch: 150 W; 75-inch: 300 W; 86-inch: 400 W
Field of View	H: 104°; V: 70.2°; D: 112.7°		65-inch: 1,504.5 mm × 952.5 mm × 86.1 mm (59.23" × 37.5" × 3.39"); 75-inch: 1,715.5 mm × 1,066.7 mm × 85.4 mm (67.54" × 42.00" × 3.36"); 86-inch: 1,960.8 mm × 1,204.7 mm × 85.4 mm (77.20" × 47.43" × 3.36")
Speaker		Product Dimensions	
Built-in Speaker	3		
Power	Full frequency: 15 W \times 2; bass: 15 W \times 1		65-inch: 1,660 mm × 1,045 mm × 245 mm (65.35" × 41.14" × 9.65") 75-inch: 1,880 mm × 1,160 mm × 280 mm (74.02" × 45.67"" × 11.02") 86-inch: 2,140 mm × 1,340 mm × 280 mm (84.25" × 52.76" × 11.02")
Microphone		Packaging Dimensions	
Pick-up Distance	Far-field sound pickup: 6 m–8 m (19.69 ft–26.25 ft)		
Number of Microphones	8	Operating Temperature	-10 °C to +45 °C (+14 °F to +113 °F)
AGC	Yes	Storage Temperature	-20 °C to +55 °C (-4 °F to +131 °F)
Echo Cancellation	Yes	Operating Humidity	10%-90%
Intelligent Noise Filtering	Yes	Storage Humidity	10%-90%
Polar Pattern	Omnidirectional	Product Material	Metal casing

Smart Interactive Whiteboard Series | DHI-LPH65/75/86-MT440-C

Glass	Anti-dazzle tempered glass with a hardness of 7 on the Mohs scale	
Casing Color (Frame/Rear)	Bottom: Space gray; top/left/right: black	
Net Weight	65-inch: 44 kg (97.00 lb) 75-inch: 54 kg (119.05 lb) 86-inch: 66.75 kg (147.16 lb)	
Gross Weight	65-inch: 56 kg (123.46 lb) 75-inch: 71.5 kg (157.63 lb) 86-inch: 87.05 kg (191.91 lb)	
Installation	Wall mount; floor-standing	

Ordering Information				
Туре	Model	Description		
65—inch Smart Interactive Whiteboard With Camera	DHI-LPH65- MT440-C	Smart Interactive Whiteboard DHI-LPH65- MT440-C		
75—inch Smart Interactive Whiteboard With Camera	DHI-LPH75- MT440-C	Smart Interactive Whiteboard DHI-LPH75- MT440-C		
86–inch Smart Interactive Whiteboard With Camera	DHI-LPH86- MT440-C	Smart Interactive Whiteboard DHI-LPH86- MT440 -C		
	DHI-PKP-IPOA	Smart Pen (optional)		
	DHI-PKP-WPOB	Wireless Screen Sharing Cable (optional)		
	DHI-MC-PI5681IL	PC module I5–6400 + 8 GB + 128 GB (optional)		
	DHI-MC-PI7682IL	PC module I7–6700 + 8 GB + 256 GB (optional)		
	DHI-MC-PI5881IL	PC module I5 8 GB + 128 GB (optional)		
Accessories	DHI-MC-PI5882IL	PC module I5 8 GB + 256 GB (optional)		
	DHI-PKC-MS0A	65"/75" Interactive Whiteboard Mobile Stand (optional)		
	DHI-PKC-MS1A	86" Interactive Whiteboard Mobile Stand (optional)		
	DHI-PKC-MS0C	65"/75" Interactive Whiteboard Liftable Mobile Stand (optional)		
	DHI-PKC-MS0B	65"/75" Interactive Whiteboard Mobile Stand (optional)		
	DHI-PKC-MS1B	86" Interactive Whiteboard Mobile Stand (optional)		

Installation



Dimensions (mm[inch])

